

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 03-Feb-2010 Revision Date 09-Feb-2024 Revision Number 9

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: <u>Sebacoyl chloride 5% solution in trichloroethylene</u>

Cat No. : S/0423/PB05

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals. Scientific research and development. Article 56 (3) REACH. REACH

(1907/2006) - Annex XIV. The substance is used under strictly controlled conditions.

Uses advised against All other uses

1.3. Details of the supplier of the safety data sheet

Company

UK entity/business name

Fisher Scientific UK

Bishop Meadow Road, Loughborough, Leicestershire LE11 5RG, United Kingdom

**EU entity/business name**Thermo Fisher Scientific
Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

Tel: 01509 231166

Chemtrec US: (800) 424-9300 Chemtrec EU: 001-703-527-3887

### **SECTION 2: HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

#### CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

### **Physical hazards**

Based on available data, the classification criteria are not met

#### **Health hazards**

Acute dermal toxicity Category 4 (H312)

FSUS0423

#### Sebacoyl chloride 5% solution in trichloroethylene

Revision Date 09-Feb-2024

Skin Corrosion/IrritationCategory 1 B (H314)Serious Eye Damage/Eye IrritationCategory 1 (H318)Skin SensitizationCategory 1 (H317)Germ Cell MutagenicityCategory 2 (H341)CarcinogenicityCategory 1 B (H350)Specific target organ toxicity - (single exposure)Category 3 (H336)

**Environmental hazards** 

Chronic aquatic toxicity Category 3 (H412)

Full text of Hazard Statements: see section 16





Signal Word

Danger

#### **Hazard Statements**

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H336 - May cause drowsiness or dizziness

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

EUH029 - Contact with water liberates toxic gas

### **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

### Additional EU labelling

Restricted to professional users

#### 2.3. Other hazards

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

This product does not contain any known or suspected endocrine disruptors

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - According to

Revision Date 09-Feb-2024

#### Sebacoyl chloride 5% solution in trichloroethylene

				GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Trichloroethylene	79-01-6	EEC No. 201-167-4	95	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H336) Muta. 2 (H341) Carc. 1B (H350) Aquatic Chronic 3 (H412)
Decanedioyl dichloride	111-19-3	EEC No. 203-843-4	5	Acute Tox. 4 (H302) Acute Tox. 2 (H310) Skin Corr. 1B (H314) Eye Dam. 1 (H318) (EUH029)

Components	Reach Registration Number	
Trichloroethylene	01-2119490731-36	

Full text of Hazard Statements: see section 16

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

**Ingestion** Do NOT induce vomiting. Get medical attention.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get

medical attention immediately if symptoms occur.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

### 4.2. Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain,

muscle pain or flushing

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. Symptoms may be delayed.

### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

### Sebacoyl chloride 5% solution in trichloroethylene

Revision Date 09-Feb-2024

## Extinguishing media which must not be used for safety reasons

Water.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. Containers may explode when heated. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Chlorine, Phosgene, Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Vapors are heavier than air and may spread along floors. Vapors may accumulate in confined areas.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

#### 6.2. Environmental precautions

Collect spillage. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

### **SECTION 7: HANDLING AND STORAGE**

### 7.1. Precautions for safe handling

The substance is used under strictly controlled conditions. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

#### **Hygiene Measures**

Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wear suitable gloves and eye/face protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from light. Do not store in aluminum containers.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1C Storage Class (LGK) (Germany)

#### 7.3. Specific end use(s)

Revision Date 09-Feb-2024

Use in laboratories

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	The United Kingdom	European Union	Ireland
Trichloroethylene	STEL: 150 ppm 15 min	TWA: 54.7 mg/m <sup>3</sup> (8h)	TWA: 10 ppm 8 hr.
	STEL: 820 mg/m <sup>3</sup> 15 min	TWA: 10 ppm (8h)	TWA: 54.7 mg/m <sup>3</sup> 8 hr.
	TWA: 100 ppm 8 hr	Skin	STEL: 30 ppm 15 min
	TWA: 550 mg/m <sup>3</sup> 8 hr	STEL: 164.1 mg/m <sup>3</sup> (8h)	STEL: 164.1 mg/m <sup>3</sup> 15 min
	Carc.	STEL: 30 ppm (8h)	Skin
	Skin		

### **Biological limit values**

List source(s):

### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

### **Predicted No Effect Concentration (PNEC)**

See values below.

Γ	Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
L			sediment		sewage treatment	
Γ	Trichloroethylene	PNEC = 115µg/L	PNEC = 316µg/kg	PNEC = 0.208mg/L	PNEC = 2.6mg/L	$PNEC = 155\mu g/kg$
	79-01-6 ( 95 )	PNEC = 0.115mg/L	sediment dw			soil dw
			PNEC = 2.04 mg/kg			PNEC =
			sediment dw			0.344mg/kg soil dw

	Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Γ	Trichloroethylene	PNEC =	PNEC =		PNEC = 13.8 mg/kg	
	79-01-6 ( 95 )	0.0115mg/L	0.204mg/kg		food	
		1	sediment dw			

### 8.2. Exposure controls

### **Engineering Measures**

Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

### Sebacoyl chloride 5% solution in trichloroethylene

Breakthrough time Glove thickness **EU** standard Glove comments Glove material Viton (R) > 360 minutes 0.7 mm **FN 374** (minimum requirement) Nitrile rubber < 12 minutes 0.7mm Laminated film (Barrier) > 480 minutes 2.5 mil Skin and body protection

Impervious clothing. Chemical resistant apron. Boots. Impervious gloves.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

**Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to

Revision Date 09-Feb-2024

EN14387

Small scale/Laboratory use Maintain adequate ventilation Use a NIOSH/MSHA or European Standard EN 149:2001

approved respirator if exposure limits are exceeded or if irritation or other symptoms are

experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

Liquid

141

**Environmental exposure controls** Prevent product from entering drains. Do not allow material to contaminate ground water

system.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Clear, colorless solution

Odor sweet

**Odor Threshold** No data available **Melting Point/Range** No data available **Softening Point** No data available **Boiling Point/Range** No information available Flammability (liquid) No data available

Flammability (solid,gas) Not applicable

No data available **Explosion Limits** 

No information available Method - No information available **Flash Point** 

No data available **Autoignition Temperature Decomposition Temperature** No data available Ha No information available **Viscosity** No data available Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component Trichloroethylene 2.4

Vapor Pressure No data available **Density / Specific Gravity** No data available

**Bulk Density** Not applicable Liquid **Vapor Density** No data available (Air = 1.0)

Not applicable (liquid) Particle characteristics

oethylene Revision Date 09-Feb-2024

#### 9.2. Other information

### **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity
Yes; Water reactive

10.2. Chemical stability

Light sensitive.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNo information available.

10.4. Conditions to avoid

Incompatible products. Excess heat. Exposure to light. Exposure to moist air or water.

10.5. Incompatible materials

Strong oxidizing agents. Strong bases. Amines. Alkali metals. Metals. . Powdered

aluminum. Powdered zinc. Powdered magnesium.

10.6. Hazardous decomposition products

Chlorine. Phosgene. Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride

gas.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information** 

(a) acute toxicity;

Oral Based on ATE data, the classification criteria are not met

**Dermal** Category 4

ATE = 1120 mg/kg

Inhalation Based on ATE data, the classification criteria are not met

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Trichloroethylene	LD50 = 4920 mg/kg (Rat)	LD50 = 29000 mg/kg ( Rabbit )	LC50 = 26 mg/L (Rat) 4 h
Decanedioyl dichloride	LD50 = 400 mg/kg ( Rat )	56 mg/kg (Rabbit)	-

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

**Respiratory** Based on available data, the classification criteria are not met

Skin Category 1

Component	Test method	Test species	Study result
Component	l est illetilou	l carabecies	Study result

#### Sebacoyl chloride 5% solution in trichloroethylene

OECD Test Guideline 429 Sensitization Trichloroethylene mouse 79-01-6 (95)

(e) germ cell mutagenicity; Category 2

Mutagenic effects have occurred in humans

Category 1B (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Revision Date 09-Feb-2024

Component	EU	UK	Germany	IARC
Trichloroethylene	Carc Cat. 1B		Cat. 1	Group 1

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Category 3

Central nervous system (CNS). Results / Target organs

Based on available data, the classification criteria are not met (i) STOT-repeated exposure;

**Target Organs** None known.

Based on available data, the classification criteria are not met (j) aspiration hazard;

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing.

### 11.2. Information on other hazards

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity **Ecotoxicity effects** 

Do not empty into drains. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are

hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae		
Trichloroethylene	LC50: 31.4 - 71.8 mg/L, 96h	EC50: = 2.2 mg/L, 48h (Daphni	EC50: = 175 mg/L, 96h		
flow-through (Pimephales		magna)	(Pseudokirchneriella subcapitata) EC50: = 450 mg/L, 96h		
	LC50: 39 - 54 mg/L, 96h static (Lepomis macrochirus)		(Desmodesmus subspicatus)		

Component	Microtox	M-Factor
Trichloroethylene	EC50 = 0.81 mg/L 24 h	
	EC50 = 115 mg/L 10 min	
	EC50 = 190 mg/L 15 min	
	EC50 = 235 mg/L 24 h	
	EC50 = 410 mg/L 24 h	
	EC50 = 975 mg/L 5 min	

Sebacoyl chloride 5% solution in trichloroethylene

Revision Date 09-Feb-2024

12.2. Persistence and degradability

Persistence is unlikely, based on information available. Insoluble in water. **Persistence** 

Degradability See values below.

Degradability Component Trichloroethylene 2.4 % (14d) OECD 301C 79-01-6 (95)

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

May have some potential to bioaccumulate 12.3. Bioaccumulative potential

log Pow **Bioconcentration factor (BCF)** Component Trichloroethylene 2.4 90(Fish)

The product contains volatile organic compounds (VOC) which will evaporate easily from all 12.4. Mobility in soil

surfaces. Spillage unlikely to penetrate soil. Will likely be mobile in the environment due to

its volatility. Disperses rapidly in air.

12.5. Results of PBT and vPvB

assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor

very bioaccumulating (vPvB).

12.6. Endocrine disrupting

properties

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

According to the European Waste Catalog, Waste Codes are not product specific, but **European Waste Catalogue (EWC)** 

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not flush to sewer. Do not let this chemical enter the environment.

### **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

UN2922 14.1. UN number

14.2. UN proper shipping name Corrosive liquid, toxic, n.o.s.

Contains Sebacoyl chloride and trichloroethylene **Technical Shipping Name** 

14.3. Transport hazard class(es) 8 **Subsidiary Hazard Class** 6.1 14.4. Packing group П

#### Sebacoyl chloride 5% solution in trichloroethylene

Revision Date 09-Feb-2024

#### ADR

**14.1. UN number** UN2922

**14.2. UN proper shipping name** Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Contains Sebacoyl chloride and trichloroethylene

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupII

#### IATA

**14.1. UN number** UN2922

**14.2. UN proper shipping name** Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Contains Sebacoyl chloride and trichloroethylene

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupII

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable, packaged goods

### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **International Inventories**

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Trichloroethylene	79-01-6	201-167-4	-	-	Х	X	X	Х	X
Decanedioyl dichloride	111-19-3	203-843-4	ı	1	Х	X	KE-30910	Х	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Trichloroethylene	79-01-6	X	ACTIVE	X	Ī	X	Х	X
Decanedioyl dichloride	111-19-3	X	ACTIVE	X	-	Х	Х	Х

**Legend:** X - Listed '-' - Not Listed **KECL** - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Trichloroethylene	79-01-6	Carcinogenic Category 1B,Article 57 Application date: October 21, 2014 Sunset date: April 21, 2016 Exemption - None	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 201-167-4 - Carcinogenic, Article 57a
Decanediovl dichloride	111-19-3	-	-	-

### Sebacoyl chloride 5% solution in trichloroethylene

Revision Date 09-Feb-2024

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

### **REACH links**

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

### Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Trichloroethylene	79-01-6	Not applicable	Not applicable
Decanedioyl dichloride	111-19-3	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

#### **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

### **WGK Classification**

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Trichloroethylene	WGK3	Krebserzeugende Stoffe - Class III : 1 mg/m <sup>3</sup>
•		(Massenkonzentration)

Component	France - INRS (Tables of occupational diseases)	
Trichloroethylene	Tableaux des maladies professionnelles (TMP) - RG 3,RG 12,RG 101	

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Trichloroethylene 79-01-6 ( 95 )	Prohibited and Restricted Substances	Group I	

### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

### **SECTION 16: OTHER INFORMATION**

### Sebacoyl chloride 5% solution in trichloroethylene

Revision Date 09-Feb-2024

H319 - Causes serious eve irritation

H336 - May cause drowsiness or dizziness

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H412 - Harmful to aquatic life with long lasting effects

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

EUH029 - Contact with water liberates toxic gas

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

Ships

OECD - Organisation for Economic Co-operation and Development **BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Chemical incident response training.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Creation Date** 03-Feb-2010 **Revision Date** 09-Feb-2024 **Revision Summary** Not applicable.

### This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

Sebacoyl chloride 5% solution in trichloroethylene

Revision Date 09-Feb-2024

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**