

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

|                           |                                          |
|---------------------------|------------------------------------------|
| Product Description:      | <b>Cesium chloride, ultra dry</b>        |
| Cat No. :                 | <b>35690</b>                             |
| Synonyms                  | Cesium Monochloride; Dicesium Dichloride |
| CAS No                    | 7647-17-8                                |
| EC No                     | 231-600-2                                |
| Molecular Formula         | Cl Cs                                    |
| REACH registration number | -                                        |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                                |                                                                                             |
|--------------------------------|---------------------------------------------------------------------------------------------|
| Recommended Use                | Laboratory chemicals.                                                                       |
| Sector of use                  | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites    |
| Product category               | PC21 - Laboratory chemicals                                                                 |
| Process categories             | PROC15 - Use as a laboratory reagent                                                        |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against           | No Information available                                                                    |

### 1.3. Details of the supplier of the safety data sheet

|         |                                                                                                                                                                                                              |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Company | Avocado Research Chemicals Ltd.<br>(Part of Thermo Fisher Scientific)<br>Shore Road, Heysham<br>Lancashire, LA3 2XY,<br>United Kingdom<br>Office Tel: +44 (0) 1524 850506<br>Office Fax: +44 (0) 1524 850608 |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                |                                |
|----------------|--------------------------------|
| E-mail address | begel.sdsdesk@thermofisher.com |
|----------------|--------------------------------|

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

Based on available data, the classification criteria are not met

## **Health hazards**

Reproductive Toxicity

Category 2 (H361)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

Warning

## **Hazard Statements**

H361 - Suspected of damaging fertility or the unborn child

## **Precautionary Statements**

P201 - Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

## **2.3. Other hazards**

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1. Substances**

| Component       | CAS No    | EC No     | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-----------------|-----------|-----------|----------|-----------------------------------------------------------------------------------------|
| Cesium chloride | 7647-17-8 | 231-600-2 | >95      | Repr. 2 (H361)                                                                          |

REACH registration number

-

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

### **4.1. Description of first aid measures**

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

|                                           |                                                                                                                                                  |
|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General Advice</b>                     | If symptoms persist, call a physician.                                                                                                           |
| <b>Eye Contact</b>                        | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.                                  |
| <b>Skin Contact</b>                       | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.                                |
| <b>Ingestion</b>                          | Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.                                            |
| <b>Inhalation</b>                         | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.                                     |
| <b>Self-Protection of the First Aider</b> | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

## **4.2. Most important symptoms and effects, both acute and delayed**

None reasonably foreseeable.

## **4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician** Treat symptomatically.

## **SECTION 5: FIREFIGHTING MEASURES**

### **5.1. Extinguishing media**

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### **5.2. Special hazards arising from the substance or mixture**

Non-combustible. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

#### **Hazardous Combustion Products**

Hydrogen chloride gas.

### **5.3. Advice for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required. Ensure adequate ventilation. Avoid dust formation.

### **6.2. Environmental precautions**

Should not be released into the environment.

### **6.3. Methods and material for containment and cleaning up**

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed containers for disposal.

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 13  
Storage Class (LGK) (Germany)

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

Workers; See table for values

| Component                          | Acute effects local (Dermal) | Acute effects systemic (Dermal) | Chronic effects local (Dermal) | Chronic effects systemic (Dermal) |
|------------------------------------|------------------------------|---------------------------------|--------------------------------|-----------------------------------|
| Cesium chloride<br>7647-17-8 (>95) |                              |                                 |                                | DNEL = 4.18mg/kg<br>bw/day        |

| Component                          | Acute effects local (Inhalation) | Acute effects systemic (Inhalation) | Chronic effects local (Inhalation) | Chronic effects systemic (Inhalation) |
|------------------------------------|----------------------------------|-------------------------------------|------------------------------------|---------------------------------------|
| Cesium chloride<br>7647-17-8 (>95) |                                  |                                     |                                    | DNEL = 1.47mg/m <sup>3</sup>          |

#### Predicted No Effect Concentration (PNEC)

See values below.

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

| Component                          | Fresh water     | Fresh water sediment           | Water Intermittent | Microorganisms in sewage treatment | Soil (Agriculture)          |
|------------------------------------|-----------------|--------------------------------|--------------------|------------------------------------|-----------------------------|
| Cesium chloride<br>7647-17-8 (>95) | PNEC = 1.25mg/L | PNEC = 4.9mg/kg<br>sediment dw | PNEC = 0.37mg/L    | PNEC = 100.3mg/L                   | PNEC = 0.25mg/kg<br>soil dw |

| Component                          | Marine water    | Marine water sediment           | Marine water intermittent | Food chain | Air |
|------------------------------------|-----------------|---------------------------------|---------------------------|------------|-----|
| Cesium chloride<br>7647-17-8 (>95) | PNEC = 0.13mg/L | PNEC = 0.49mg/kg<br>sediment dw |                           |            |     |

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Goggles (European standard - EN 166)

#### Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments        |
|----------------|-------------------|-----------------|-------------|-----------------------|
| Natural rubber | See manufacturers | -               | EN 374      | (minimum requirement) |
| Nitrile rubber | recommendations   |                 |             |                       |
| Neoprene       |                   |                 |             |                       |
| PVC            |                   |                 |             |                       |

#### Skin and body protection

Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

#### Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143

#### Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

#### Environmental exposure controls

No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

|                                         |                          |                                   |
|-----------------------------------------|--------------------------|-----------------------------------|
| Physical State                          | Powder Solid             |                                   |
| Appearance                              | White                    |                                   |
| Odor                                    | Odorless                 |                                   |
| Odor Threshold                          | No data available        |                                   |
| Melting Point/Range                     | 646 °C / 1194.8 °F       |                                   |
| Softening Point                         | No data available        |                                   |
| Boiling Point/Range                     | 1290 °C / 2354 °F        | @ 760 mmHg                        |
| Flammability (liquid)                   | Not applicable           | Solid                             |
| Flammability (solid,gas)                | No information available |                                   |
| Explosion Limits                        | No data available        |                                   |
| Flash Point                             | No information available | Method - No information available |
| Autoignition Temperature                | Not applicable           |                                   |
| Decomposition Temperature               | No data available        |                                   |
| pH                                      | 6.0-7.5 @ 20°C           | aq.solution                       |
| Viscosity                               | Not applicable           | Solid                             |
| Water Solubility                        | 1860 g/L (20°C)          |                                   |
| Solubility in other solvents            | No information available |                                   |
| Partition Coefficient (n-octanol/water) |                          |                                   |
| Vapor Pressure                          | No data available        |                                   |
| Density / Specific Gravity              | No data available        |                                   |
| Bulk Density                            | No data available        |                                   |
| Vapor Density                           | Not applicable           | Solid                             |
| Particle characteristics                | No data available        |                                   |

## 9.2. Other information

|                   |                        |
|-------------------|------------------------|
| Molecular Formula | Cl Cs                  |
| Molecular Weight  | 168.36                 |
| Evaporation Rate  | Not applicable - Solid |

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions. Hygroscopic.

### 10.3. Possibility of hazardous reactions

|                          |                                          |
|--------------------------|------------------------------------------|
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Hazardous Reactions      | None under normal processing.            |

### 10.4. Conditions to avoid

Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water.

### 10.5. Incompatible materials

Strong acids. Acids. Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Hydrogen chloride gas.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

**(a) acute toxicity;**

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

| Component       | LD50 Oral          | LD50 Dermal | LC50 Inhalation |
|-----------------|--------------------|-------------|-----------------|
| Cesium chloride | 2600 mg/kg ( Rat ) | -           | -               |

**(b) skin corrosion/irritation;**

Based on available data, the classification criteria are not met

**(c) serious eye damage/irritation;**

Based on available data, the classification criteria are not met

**(d) respiratory or skin sensitization;**

Respiratory

Based on available data, the classification criteria are not met

Skin

Based on available data, the classification criteria are not met

**(e) germ cell mutagenicity;**

Based on available data, the classification criteria are not met

**(f) carcinogenicity;**

Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

**(g) reproductive toxicity;**

Reproductive Effects

Category 2

Experiments have shown reproductive toxicity effects on laboratory animals.

**(h) STOT-single exposure;**

Based on available data, the classification criteria are not met

**(i) STOT-repeated exposure;**

Based on available data, the classification criteria are not met

Target Organs

None known.

**(j) aspiration hazard;**

Not applicable

Solid

**Symptoms / effects, both acute and delayed** No information available.

**11.2. Information on other hazards**

**Endocrine Disrupting Properties**

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

**12.1. Toxicity**

**Ecotoxicity effects**

| Component       | Freshwater Fish | Water Flea    | Freshwater Algae |
|-----------------|-----------------|---------------|------------------|
| Cesium chloride | >100 mg/L 96h   | 37.4 mg/L 48h |                  |

**12.2. Persistence and degradability**

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

**Persistence  
Degradability**

Soluble in water, Persistence is unlikely, based on information available.  
Not relevant for inorganic substances.

**12.3. Bioaccumulative potential**

Bioaccumulation is unlikely

**12.4. Mobility in soil**

The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

**12.5. Results of PBT and vPvB  
assessment**

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

**12.6. Endocrine disrupting  
properties**

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**

**Persistent Organic Pollutant  
Ozone Depletion Potential**

This product does not contain any known or suspected substance  
This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**Waste from Residues/Unused  
Products**

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific.

**Other Information**

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO**

Not regulated

**14.1. UN number**

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

**14.4. Packing group**

**ADR**

Not regulated

**14.1. UN number**

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

**14.4. Packing group**

**IATA**

Not regulated

**14.1. UN number**

**14.2. UN proper shipping name**



# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

## 14.3. Transport hazard class(es)

## 14.4. Packing group

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk according to IMO instruments Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component       | CAS No    | EINECS    | ELINCS | NLP | IECSC | TCSI | KECL     | ENCS | ISHL |
|-----------------|-----------|-----------|--------|-----|-------|------|----------|------|------|
| Cesium chloride | 7647-17-8 | 231-600-2 | -      | -   | X     | X    | KE-05433 | X    | X    |

| Component       | CAS No    | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-----------------|-----------|------|-----------------------------------------------|-----|------|------|-------|-------|
| Cesium chloride | 7647-17-8 | X    | ACTIVE                                        | X   | -    | X    | X     | X     |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

#### Authorisation/Restrictions according to EU REACH

Not applicable

| Component       | CAS No    | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------------|-----------|---------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Cesium chloride | 7647-17-8 | -                                                                   | -                                                                             | -                                                                                                     |

#### Seveso III Directive (2012/18/EC)

| Component       | CAS No    | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-----------------|-----------|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Cesium chloride | 7647-17-8 | Not applicable                                                                            | Not applicable                                                                           |

#### Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

#### Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

#### National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

**WGK Classification** See table for values

| Component       | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-----------------|---------------------------------------|-------------------------|
| Cesium chloride | WGK1                                  |                         |

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3

H361 - Suspected of damaging fertility or the unborn child

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Prepared By**

Health, Safety and Environmental Department

**Creation Date**

23-Nov-2010

**Revision Date**

26-Jan-2024

**Revision Summary**

New emergency telephone response service provider.

**This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.**

# SAFETY DATA SHEET

Cesium chloride, ultra dry

Revision Date 26-Jan-2024

---

.

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**