

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

| | |
|---------------------------|---------------------------------|
| Product Description: | p-Toluidine |
| Cat No. : | A13698 |
| Synonyms | 4-Aminotoluene; 4-Methylaniline |
| Index No | 612-160-00-4 |
| CAS No | 106-49-0 |
| EC No | 203-403-1 |
| Molecular Formula | C7 H9 N |
| REACH registration number | - |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|--------------------------------|---|
| Recommended Use | Laboratory chemicals. |
| Sector of use | SU3 - Industrial uses: Uses of substances as such or in preparations at industrial sites |
| Product category | PC21 - Laboratory chemicals |
| Process categories | PROC15 - Use as a laboratory reagent |
| Environmental release category | ERC6a - Industrial use resulting in manufacture of another substance (use of intermediates) |
| Uses advised against | No Information available |

1.3. Details of the supplier of the safety data sheet

| | |
|---------|--|
| Company | Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific) Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608 |
|---------|--|

| | |
|----------------|--------------------------------|
| E-mail address | begel.sdsdesk@thermofisher.com |
|----------------|--------------------------------|

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99
CHEMTREC Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

Based on available data, the classification criteria are not met

Health hazards

| | |
|---|-------------------|
| Acute oral toxicity | Category 3 (H301) |
| Acute dermal toxicity | Category 3 (H311) |
| Acute Inhalation Toxicity - Dusts and Mists | Category 3 (H331) |
| Serious Eye Damage/Eye Irritation | Category 2 (H319) |
| Skin Sensitization | Category 1 (H317) |
| Carcinogenicity | Category 2 (H351) |

Environmental hazards

| | |
|--------------------------|-------------------|
| Acute aquatic toxicity | Category 1 (H400) |
| Chronic aquatic toxicity | Category 2 (H411) |

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H351 - Suspected of causing cancer
- H319 - Causes serious eye irritation
- H317 - May cause an allergic skin reaction
- H400 - Very toxic to aquatic life
- H411 - Toxic to aquatic life with long lasting effects
- H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

Precautionary Statements

- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P302 + P350 - IF ON SKIN: Gently wash with plenty of soap and water
- P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P273 - Avoid release to the environment

2.3. Other hazards

- Toxic to terrestrial vertebrates
- This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

| Component | CAS No | EC No | Weight % | CLP Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567 |
|-------------|----------|-------------------|----------|---|
| p-Toluidine | 106-49-0 | EEC No. 203-403-1 | >95 | Acute Tox. 3 (H301) Acute Tox. 3 (H311) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Carc. 2 (H351) Aquatic Acute 1 (H400) Acute Tox. 3 (H331) Aquatic Chronic 2 (H411) |

| Component | Specific concentration limits (SCL's) | M-Factor | Component notes |
|-------------|---------------------------------------|----------|-----------------|
| p-Toluidine | - | 1 | - |

| | |
|----------------------------------|---|
| REACH registration number | - |
|----------------------------------|---|

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

| | |
|---|--|
| Eye Contact | Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. |
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Immediate medical attention is required. |
| Ingestion | Call a physician immediately. Clean mouth with water. |
| Inhalation | Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial respiration. Immediate medical attention is required. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

4.2. Most important symptoms and effects, both acute and delayed

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Dry chemical. Water mist may be used to cool closed containers. Chemical foam. Do not use a solid water stream as it may scatter and spread fire. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Combustible material. Flammable. Containers may explode when heated. Do not allow run-off from fire-fighting to enter drains or

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

water courses.

Hazardous Combustion Products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Provide adequate ventilation. Sweep up and shovel into suitable containers for disposal. Remove all sources of ignition.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Handle product only in closed system or provide appropriate exhaust ventilation. Minimize dust generation and accumulation. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away from heat, sparks and flame. Protect from direct sunlight. Keep locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1C
Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

Exposure limits

List source(s): IRE - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

| Component | The United Kingdom | European Union | Ireland |
|-------------|--------------------|----------------|--|
| p-Toluidine | | | TWA: 1 ppm 8 hr. TWA: 4.46 mg/m ³ 8 hr. STEL: 2 ppm 15 min STEL: 8.92 mg/m ³ 15 min Skin |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

No information available

Predicted No Effect Concentration (PNEC)

No information available.

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|----------------|-----------------------------------|-----------------|-------------|-----------------------|
| Nitrile rubber | See manufacturers recommendations | - | EN 374 | (minimum requirement) |
| Neoprene | | | | |
| Natural rubber | | | | |
| PVC | | | | |

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| | | |
|---|--------------------------------------|--|
| Physical State | Solid | |
| Appearance | Light brown | |
| Odor | aromatic | |
| Odor Threshold | No data available | |
| Melting Point/Range | 41 - 46 °C / 105.8 - 114.8 °F | |
| Softening Point | No data available | |
| Boiling Point/Range | 200 °C / 392 °F | |
| Flammability (liquid) | Not applicable | Solid |
| Flammability (solid,gas) | No information available | |
| Explosion Limits | Lower 1.1 Upper 6.6 | |
| Flash Point | 87 °C / 188.6 °F | Method - No information available |
| Autoignition Temperature | 480 °C / 896 °F | |
| Decomposition Temperature | No data available | |
| pH | 7.8 | 7 g/l aq.sol |
| Viscosity | Not applicable | Solid |
| Water Solubility | Soluble | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Component | log Pow | |
| p-Toluidine | 1.44 | |
| Vapor Pressure | 1.3 mbar @ 43 °C | |
| Density / Specific Gravity | 1.05 | |
| Bulk Density | No data available | |
| Vapor Density | Not applicable | Solid |
| Particle characteristics | No data available | |

9.2. Other information

| | |
|----------------------|--|
| Molecular Formula | C7 H9 N |
| Molecular Weight | 107.15 |
| Explosive Properties | explosive air/vapour mixtures possible |
| Evaporation Rate | Not applicable - Solid |

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Light sensitive.

10.3. Possibility of hazardous reactions

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

Hazardous Polymerization No information available.
Hazardous Reactions No information available.

10.4. Conditions to avoid

Temperatures above 220°C. Exposure to light. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Acids. Strong oxidizing agents. Acid anhydrides. Acid chlorides. Chloroformates.

10.6. Hazardous decomposition products

Nitrogen oxides (NO_x). Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Oral Category 3
Dermal Category 3
Inhalation Category 3

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------|--------------------------|-----------------------------|--|
| p-Toluidine | LD50 = 336 mg/kg (Rat) | LD50 = 890 mg/kg (Rabbit) | LC50 > 640 mg/m ³ (Rat) 1 h |

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory Based on available data, the classification criteria are not met
Skin Category 1
May cause sensitization by skin contact

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity;

Category 2
The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Not applicable
Solid

Symptoms / effects, both acute and delayed Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms.

| Component | Freshwater Fish | Water Flea | Freshwater Algae |
|-------------|--|------------|------------------|
| p-Toluidine | LC50: 100 - 220 mg/L, 96h static (Brachydanio rerio) LC50: 135 - 163 mg/L, 96h flow-through (Pimephales promelas) | | |

| Component | Microtox | M-Factor |
|-------------|---|----------|
| p-Toluidine | EC50 = 150 mg/L 24 h EC50 = 4.27 mg/L 30 min | 1 |

12.2. Persistence and degradability Readily biodegradable
Persistence Persistence is unlikely.
Degradation in sewage treatment plant Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-------------|---------|-------------------------------|
| p-Toluidine | 1.44 | No data available |

12.4. Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB assessment No data available for assessment.

12.6. Endocrine disrupting properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant
Ozone Depletion Potential

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

| | |
|---------------------------------------|--|
| Contaminated Packaging | Dispose of this container to hazardous or special waste collection point. |
| European Waste Catalogue (EWC) | According to the European Waste Catalog, Waste Codes are not product specific, but application specific. |
| Other Information | Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this chemical enter the environment. |

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

| | |
|---|-------------------|
| 14.1. UN number | UN3451 |
| 14.2. UN proper shipping name | TOLUIDINES, SOLID |
| 14.3. Transport hazard class(es) | 6.1 |
| 14.4. Packing group | II |

ADR

| | |
|---|-------------------|
| 14.1. UN number | UN3451 |
| 14.2. UN proper shipping name | TOLUIDINES, SOLID |
| 14.3. Transport hazard class(es) | 6.1 |
| 14.4. Packing group | II |

IATA

| | |
|---|-------------------|
| 14.1. UN number | UN3451 |
| 14.2. UN proper shipping name | TOLUIDINES, SOLID |
| 14.3. Transport hazard class(es) | 6.1 |
| 14.4. Packing group | II |

| | |
|--|--|
| 14.5. Environmental hazards | Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO |
| 14.6. Special precautions for user | No special precautions required. |
| 14.7. Maritime transport in bulk according to IMO instruments | Not applicable, packaged goods |

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

| Component | CAS No | EINECS | ELINCS | NLP | IECSC | TCSI | KECL | ENCS | ISHL |
|-------------|----------|-----------|--------|-----|-------|------|----------|------|------|
| p-Toluidine | 106-49-0 | 203-403-1 | - | - | X | X | KE-23448 | X | X |

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | DSL | NDSL | AICS | NZIoC | PICCS |
|-------------|----------|------|---|-----|------|------|-------|-------|
| p-Toluidine | 106-49-0 | X | ACTIVE | X | - | X | X | X |

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------|----------|---|---|---|
| p-Toluidine | 106-49-0 | - | Use restricted. See item 75. (see link for restriction details) | - |

REACH links

<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------|----------|---|--|
| p-Toluidine | 106-49-0 | Not applicable | Not applicable |

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

See table for values

| Component | Germany - Water Classification (AwSV) | Germany - TA-Luft Class |
|-------------|---------------------------------------|--|
| p-Toluidine | WGK3 | Class I : 20 mg/m ³ (Massenkonzentration) |

| Component | France - INRS (Tables of occupational diseases) |
|-------------|---|
| p-Toluidine | Tableaux des maladies professionnelles (TMP) - RG 15,RG 15bis |

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H317 - May cause an allergic skin reaction

SAFETY DATA SHEET

p-Toluidine

Revision Date 12-Feb-2024

H319 - Causes serious eye irritation
H331 - Toxic if inhaled
H351 - Suspected of causing cancer
H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Training Advice

Chemical incident response training.

Prepared By

Health, Safety and Environmental Department

Creation Date

29-May-2015

Revision Date

12-Feb-2024

Revision Summary

New emergency telephone response service provider.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet