

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Creation Date 06-Mar-2018 Revision Date 30-Nov-2024 Revision Number 6

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Thionyl chloride, 1M solution in dichloromethane

Cat No. : H31857

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company .

Avocado Research Chemicals Ltd. (Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency

information services

Ireland: National Poisons Information Centre (NPIC) -

01 809 2166 (8am-10pm, 7 days a week)

Malta: +356 2395 2000 Cyprus: +357 2240 5611

# **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

# GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

# **Physical hazards**

Based on available data, the classification criteria are not met

#### **Health hazards**

Acute Inhalation Toxicity - Vapors Category 4 (H332)

#### Thionyl chloride, 1M solution in dichloromethane

Skin Corrosion/Irritation

Serious Eve Damage/Eve Irritation

Carcinogenicity

Specific target organ toxicity - (single exposure)

Category 1 A (H314) Category 1 (H318) Category 2 (H351)

Category 3 (H335) (H336)

Revision Date 30-Nov-2024

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

#### 2.2. Label elements



## Signal Word

**Danger** 

## **Hazard Statements**

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

EUH014 - Reacts violently with water

# **Precautionary Statements**

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

### 2.3. Other hazards

Toxic to terrestrial vertebrates

This product does not contain any known or suspected endocrine disruptors

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

Component	CAS No	EC No	Weight %	GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567
Methylene chloride	75-09-2	EEC No. 200-838-9	90 - 92	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H336) Carc. 2 (H351)
Thionyl chloride	7719-09-7	EEC No. 231-748-8	8 - 10	Acute Tox. 4 (H302)

#### Thionyl chloride, 1M solution in dichloromethane

		Acute Tox. 3 (H331) Skin Corr. 1A (H314) Eye Dam. 1 (H318) STOT SE 3 (H335)
		STOT SE 3 (H335) (EUH014) (EUH029)

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Thionyl chloride	STOT SE 3 (H335) :: C>=1%	-	-

Full text of Hazard Statements: see section 16

# **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

**Inhalation** If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms

like headache, dizziness, tiredness, nausea and vomiting

# 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically. Symptoms may be delayed.

# **SECTION 5: FIREFIGHTING MEASURES**

## 5.1. Extinguishing media

## Suitable Extinguishing Media

Dry sand. Carbon dioxide (CO<sub>2</sub>). Powder. Do not use water or foam. CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Thionyl chloride, 1M solution in dichloromethane

Extinguishing media which must not be used for safety reasons Water.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Reacts violently with water.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides, Hydrogen chloride.

## 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2. Environmental precautions

Should not be released into the environment.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Do not expose spill to water.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Do not allow contact with water.

## **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 7.2. Conditions for safe storage, including any incompatibilities

Corrosives area. Keep away from water or moist air. Keep containers tightly closed in a dry, cool and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Class 6.1D Storage Class (LGK) (Germany)

ALFAAH31857

Thionyl chloride, 1M solution in dichloromethane

Revision Date 30-Nov-2024

# 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control parameters

## **Exposure limits**

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE** - 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC

Component	The United Kingdom	European Union	Ireland
Methylene chloride	STEL: 200 ppm 15 min	TWA: 353 mg/m <sup>3</sup> (8h)	TWA: 100 ppm 8 hr.
	STEL: 706 mg/m <sup>3</sup> 15 min	TWA: 100 ppm (8h)	TWA: 353 mg/m <sup>3</sup> 8 hr.
	TWA: 353 mg/m <sup>3</sup> 8 hr	STEL: 706 mg/m <sup>3</sup> (15min)	STEL: 200 ppm 15 min
	TWA: 100 ppm 8 hr	STEL: 200 ppm (15min)	STEL: 706 mg/m <sup>3</sup> 15 min
	Skin	Skin	Skin
Thionyl chloride	STEL: 1 ppm 15 min		STEL: 1.0 mg/m <sup>3</sup> 15 min
	STEL: 4.9 mg/m <sup>3</sup> 15 min		STEL: 0.2 ppm 15 min

# **Biological limit values**

List source(s): **UK** - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005.

Component	United Kingdom	European Union
Methylene chloride	Carbon monoxide: 30 ppm end-tidal breath	
	post shift	

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Methylene chloride 75-09-2 ( 90 - 92 )				DNEL = 12mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Methylene chloride 75-09-2 ( 90 - 92 )		DMEL = 132.14mg/m <sup>3</sup>		DNEL = 176mg/m <sup>3</sup>
Thionyl chloride 7719-09-7 ( 8 - 10 )	DNEL = 1mg/m <sup>3</sup>		DNEL = 1mg/m <sup>3</sup>	

# **Predicted No Effect Concentration (PNEC)**

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Methylene chloride	PNEC = 130µg/L	PNEC = 163µg/kg	PNEC = 0.27mg/L	PNEC = 26mg/L	PNEC = 173µg/kg
75-09-2 ( 90 - 92 )	PNEC = 0.31mg/L	sediment dw		-	soil dw
		PNEC = 2.57mg/kg			PNEC = 0.33mg/kg
		sediment dw			soil dw

_		,	,			,
- 1	Component	Marine water	Marine water	Marine water	Food chain	Air
- 1	Component	Wattie Water	Wattie Water	Maille Water	Food Chain	Air
- 1			a a dimant	intormittont		
			sediment	intermittent		

#### Thionyl chloride, 1M solution in dichloromethane

Methylene chloride	PNEC = 130µg/L	PNEC = 163µg/kg	PNEC = 0.027mg/L	
75-09-2 ( 90 - 92 )	PNEC = 0.031 mg/L	sediment dw		
		PNEC = 0.26 mg/kg		
		sediment dw		

#### 8.2. Exposure controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

-	Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
-	Viton (R)	See manufacturers	-	EN 374	(minimum requirement)
		recommendations			

**Skin and body protection** Long sleeved clothing.

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Organic gases and vapours filter low boiling organic solvent

Type AX Brown conforming to EN371 or Type A Brown conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

**Environmental exposure controls** No information available.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance Colorless - Light yellow
Odor No information available
Odor Threshold No data available
Melting Point/Range No data available
Softening Point No data available

\_\_\_\_\_

Thionyl chloride, 1M solution in dichloromethane

Liquid

Boiling Point/Range No information available

Flammability (liquid) No data available
Flammability (solid,gas) Not applicable

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition Temperature
Decomposition Temperature
pH
Viscosity
No data available
Not applicable
No data available
No data available
Immiscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Methylene chloride 1.25

Vapor Pressure 23 hPa @ 20 °C

Density / Specific Gravity1.35 g/cm3@ 20 °CBulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity Yes

10.2. Chemical stability

Moisture sensitive. May form precipitate.

10.3. Possibility of hazardous reactions

**Hazardous Polymerization** No information available.

Hazardous Reactions None under normal processing. Reacts violently with water.

10.4. Conditions to avoid

Exposure to moist air or water. Exposure to moisture.

10.5. Incompatible materials

Strong bases. Metals. Amines. Oxidizing agent.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Sulfur oxides. Hydrogen chloride.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Product Information** 

(a) acute toxicity;

Oral Based on ATE data, the classification criteria are not met

ATE = 3600 mg/kg

Dermal Based on available data, the classification criteria are not met

Thionyl chloride, 1M solution in dichloromethane

Category 4 ATE = 19.8 mg/l

## Toxicology data for the components

Inhalation

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methylene chloride	> 2000 mg/kg (Rat)	> 2000 mg/kg ( Rat )	53 mg/L ( Rat ) 6 h 76000 mg/m³ ( Rat ) 4 h
Thionyl chloride LD50 = 324 mg/kg (Rat)		-	LC50 = 2.717 mg/L (Rat) 4 h

Category 1 A (b) skin corrosion/irritation;

Category 1 (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

Respiratory No data available No data available Skin

(e) germ cell mutagenicity; No data available

Category 2 (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Methylene chloride				Group 2A

No data available (g) reproductive toxicity;

(h) STOT-single exposure; Category 3

Results / Target organs Central nervous system (CNS), Respiratory system.

No data available (i) STOT-repeated exposure;

**Target Organs** None known.

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

# **SECTION 12: ECOLOGICAL INFORMATION**

## 12.1. Toxicity

ALFAAH31857

Thionyl chloride, 1M solution in dichloromethane

Revision Date 30-Nov-2024

**Ecotoxicity effects** 

Component	Freshwater Fish	Water Flea	Freshwater Algae
Methylene chloride	Pimephales promelas: LC50:193	EC50: 140 mg/L/48h	EC50:>660 mg/L/96h
	mg/L/96h		_

Component	Microtox	M-Factor
Methylene chloride	EC50: 1 mg/L/24 h	
	EC50: 2.88 mg/L/15 min	

12.2. Persistence and degradability

**Persistence** Persistence is unlikely.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Methylene chloride	1.25	6.4 - 40 dimensionless

12.4. Mobility in soil Spillage unlikely to penetrate soil The product is insoluble and sinks in water Is not likely

mobile in the environment due its low water solubility.

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC) According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used. Do not empty into drains. Do not flush to sewer. Large amounts will affect pH

and harm aquatic organisms.

# **SECTION 14: TRANSPORT INFORMATION**

## IMDG/IMO

#### Thionyl chloride, 1M solution in dichloromethane

**14.1. UN number** UN2922

**14.2. UN proper shipping name** Corrosive liquid, toxic, n.o.s.

Technical Shipping Name (THIONYL CHLORIDE, DICHLOROMETHANE)

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupIII

ADR

**14.1. UN number** UN2922

**14.2. UN proper shipping name** Corrosive liquid, toxic, n.o.s.

Technical Shipping Name (THIONYL CHLORIDE, DICHLOROMETHANE)

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupIII

<u>IATA</u>

**14.1. UN number** UN2922

**14.2. UN proper shipping name** Corrosive liquid, toxic, n.o.s.

Technical Shipping Name (THIONYL CHLORIDE, DICHLOROMETHANE)

14.3. Transport hazard class(es)8Subsidiary Hazard Class6.114.4. Packing groupIII

14.5. Environmental hazards No hazards identified

**14.6. Special precautions for user** No special precautions required.

<u>14.7. Maritime transport in bulk</u> according to IMO instruments

Not applicable, packaged goods

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Inventories**

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Taiwan (TCSI), Japan (ISHL), New Zealand (NZIoC), Japan (ISHL). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Methylene chloride	75-09-2	200-838-9	-	-	X	X	KE-23893	X	Х
Thionyl chloride	7719-09-7	231-748-8	-	-	Х	Х	KE-33794	X	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Methylene chloride	75-09-2	Х	ACTIVE	Х	-	Х	X	Х
Thionyl chloride	7719-09-7	X	ACTIVE	X	-	X	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-		Annex XIV - Substances	Annex XVII - Restrictions	1907/2006) article 59 -

ALFAAH31857

Revision Date 30-Nov-2024

Page 11/13

## Thionyl chloride, 1M solution in dichloromethane

		Subject to Authorization	on Certain Dangerous Substances	Candidate List of Substances of Very High Concern (SVHC)
Methylene chloride	75-09-2	-	Use restricted. See entry 59. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-
Thionyl chloride	7719-09-7	-	Use restricted. See entry 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

# Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Methylene chloride	75-09-2	Not applicable	Not applicable
Thionyl chloride	7719-09-7	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

## **National Regulations**

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

# **WGK Classification**

Water endangering class = 2 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Methylene chloride	WGK2	Class I: 20 mg/m3 (Massenkonzentration)
Thionyl chloride	WGK1	

Component	France - INRS (Tables of occupational diseases)
Methylene chloride	Tableaux des maladies professionnelles (TMP) - RG 12

	T		T 1
Component	Switzerland - Ordinance on the	Switzerland - Ordinance on	Switzerland - Ordinance of the
	Reduction of Risk from	Incentive Taxes on Volatile	Rotterdam Convention on the
	handling of hazardous	Organic Compounds (OVOC)	Prior Informed Consent
	substances preparation (SR		Procedure

#### Thionyl chloride, 1M solution in dichloromethane

	814.81)		
Methylene chloride	Persistent Organic Pollutants	Group I	
75-09-2 ( 90 - 92 )	(POPs) Prohibited and Restricted		
	Substances		

#### 15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

# **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eve damage

H318 - Causes serious eye damage

H336 - May cause drowsiness or dizziness

H351 - Suspected of causing cancer

EUH014 - Reacts violently with water

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eve irritation

H331 - Toxic if inhaled

H335 - May cause respiratory irritation

EUH029 - Contact with water liberates toxic gas

## Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 30-Nov-2024

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

Shins

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Calculation method **Health Hazards Environmental hazards** Calculation method

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

#### Thionyl chloride, 1M solution in dichloromethane

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers. Chemical incident response training.

Prepared By Health, Safety and Environmental Department

Creation Date 06-Mar-2018
Revision Date 30-Nov-2024

Revision Summary SDS sections updated.

# This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

ALFAAH31857